





--	--	--

Site Number

--	--	--	--	--

Subject Number

## Prior Crohn's Disease Medication Class- Immunomodulators

What was the final dose amount of this immunomodulator?	<div>FNDOSAMT_FAORRES</div> <div>FAORRES where FATEST = "Final Dose Amount"</div>
What was the final dose amount unit of this immunomodulator?	<div>FNDOSAMT_FAORRESU</div> <div>FAORRESU where FATEST = "Final Dose Amount"</div>
What was the frequency of the final dose amount of this immunomodulator?	<div>FNDOSFRQ_FAORRES</div> <div>FAORRES where FATEST = "Frequency of Final Dose Amount"</div>
What was the route of administration of this immunomodulator?	<div>CMROUTE</div> <div>CMROUTE</div>
What was the primary reason for discontinuation of this immunomodulator?	<div> <input type="radio"/> Non-response           <input type="radio"/> Intolerance           <input type="radio"/> Loss of insurance           <input type="radio"/> Cost           <input type="radio"/> Treatment no longer indicated           <input type="radio"/> Other           <input type="radio"/> Unknown         </div> <div> <div>CMRSDISC</div> <div>CMRSDISC</div> </div>
If "Non-response", was the subject receiving a treatment regimen for this immunomodulator which, according to protocol-defined criteria, was expected to be efficacious?	<div> <input type="radio"/> No           <input type="radio"/> Yes         </div> <div> <div>EXETRIND_FAORRES</div> <div>FAORRES where FATESTCD = "EXETRIND" AND FAOBJ = CMTRT</div> </div>



--	--	--

Site Number

--	--	--	--	--

Subject Number

## Prior Crohn's Disease Medication Class- Immunomodulators

If "Non-response", what were the signs and symptoms leading to discontinuation of treatment?

*Check all that apply.*

- ☐ Lack of improvement or worsening of stool frequency
- ☐ Lack of improvement or worsening of abdominal pain
- ☐ Lack of improvement or worsening of Crohn's disease related fever
- ☐ Lack of improvement or worsening of draining fistula or development of new fistula
- ☐ Lack of improvement or worsening of rectal bleeding
- ☐ Initiation or increased dosage of antidiarrheal medication
- ☐ Other

SSDISC(n)\_FAORRES

FAORRES where FATESTCD = "SSDISC" AND FAOBJ = CMTRT

If "Other", specify.

OSSDISC(n)\_FAORRES

FAORRES where FATESTCD = "SSDISC" and FAOBJ = CMTRT

What was the category of the medical history?

MHCAT

MHCAT

When did the medical history event start relative to the study reference period?

MHSTRF

MHSTRF

What was the relationship to the non-study medication?

MHRELSNT

MHRELSNT

If treatment was discontinued due to intolerance, what was the condition indicating intolerance?

*Check all that apply.*

- ☐ Serious infection
- ☐ Hepatotoxicity
- ☐ Pancreatitis
- ☐ Leukopenia
- ☐ Thrombocytopenia
- ☐ Other

INTCOND(n)\_MHTERM

If not "Other" then MHTERM

If "Other", what was the other condition indicating intolerance to previous immunomodulator treatment?

INTCOND(n)\_MHTERMOTH

MHTERM